

## **Release Notes**

# **EPC2000 Programmable Controller**





Expertise in systems and solutions, services and support

### **Legal Information**

All rights are strictly reserved. No part of this document may be reproduced, modified, or transmitted in any form by any means, nor may it be stored in a retrieval system other than for the purpose to act as an aid in operating the equipment to which the document relates, without prior written permission of Eurotherm by Schneider Electric.

Eurotherm, the Eurotherm by Schneider Electric logo, Chessell, EurothermSuite, Mini8, Eycon, EPower, EPack nanodac, piccolo, versadac, Foxboro, and Wonderware are trademarks of Schneider Electric, its subsidiaries and affiliates. All other brands may be trademarks of their respective owners.

Eurotherm Limited pursues a policy of continuous development and product improvement. The specifications in this document may therefore be changed without notice. The information in this document is given in good faith, but is intended for guidance only. Eurotherm Limited will accept no responsibility for any losses arising from errors in this document.

## Contents

1	Cha	anges4
1.	1	Changes in version 4.03

## 1 Changes

### 1.1 Changes in version 4.03

Release Date: August 2022

**New Features**: None Identified.

### **Security Updates:**

Ticket	Summary
EPC2K-58	Implemented patch for FreeRTOS to mitigate BadAlloc vulnerability, for more
	information see <a href="https://us-cert.cisa.gov/ics/advisories/icsa-21-119-04">https://us-cert.cisa.gov/ics/advisories/icsa-21-119-04</a>
	CVE-2020-35198, CVE-2020-28895

#### Items Resolved:

Ticket	Summary
EPC2K-61	EthernetIP default I/O gateway stops updating when unable to write parameter